



SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI'S
**Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College**
Shivaji Nagar, Amravati - 444 603



Dr. Anil T. Deshmukh
M.D. (Pathology)
DEAN

Harshvardhan P. Deshmukh
PRESIDENT



● Office: Tel. (0721) 2552353 ● Fax.: (0721) 2552353 ● E-mail: drpdmmc2007@rediffmail.com, drpdmmcamravati@gmail.com ● Website: <http://pdmmc.edu.in>

Degradable and non-degradable Waste management

Table of content

Content	Page number
Solid waste and biomedical waste management	
Maharashtra Pollution Control Board Certificate	3-13
Global Eco Save	14-15
Liquid waste management	
Work order of STP/ETP	17-19
Completion certificate of STP/ETP	20-21

E waste	
MOU for disposal of E waste	22-27
E-waste collection receipt by agency	28-29
MPCB Authorization Letter to agency	30-33
Passbook for purchase of E-waste	34
Waste recycling	
Waste recycling policy - SOP for waste paper	35-36
Waste recycling policy – vendor certificate	37-38
Hazardous chemical	
Hazardous waste disposal SOP	39-40

Solid waste and biomedical waste management

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-call@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CAC/UAN No.0000110485/CR 2109000310

Date: 09/09/2021

To,
Dr. Panjabrao Deshmukh Medical College & Hospital,
Plot no. 26 and Plot no. 32, Shivaji Nagar,
Dist; Amravati.



Your Service is Our Duty

Sub: Renewal of combined Consent and BMW Authorization with increase in beds under Red category

Ref: 1. Bio-Medical Authorization granted by the Board vide no. MPCB/ZOP(PAMS)/BMW/Amravati/06 Dated 20.02.2010 valid up to 30.04.2012
2. Minutes of Consent Appraisal Committee dated 20-08-2021.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.05.2024**
2. **The capital investment of the project is Rs.24.59 Crs. (As per C.A Certificate submitted by industry .).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	670	Nos
b)	Total Plot Area	49703.00	Sq.Mtrs
c)	Total Built up Area	19746.00	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (In CMD)	Standards to Achieve	Disposal
1.	Trade effluent	12	As per Schedule I	Treated effluent recycle up to maximum extent / used on land for gardening and remaining shall dispose in to sewerage system provided by local body.



Sr No	Description	Permitted (In CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	90	As per Schedule - I	Same as above.

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [800 KVA X 2 Nos]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	NW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	-NA-	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Waste	615	Kg/Day	composting	At dumping site of Municipal Corporation
2	Dry Waste	150	Kg/Day	Drying	At dumping site of Municipal Corporation

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical Waste	245.50	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	591.00		
		c) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	93.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	65.00		
2	Red	Contaminated waste (Recyclable)	1143.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	551.40	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	735.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.



2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical Industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974.
 - h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.



12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the
Maharashtra Pollution Control
Board.



Ashok Shingare
(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-5157	08/04/2021	RTGS
2	45000.00	MPCB-DR-4836	30/03/2021	RTGS

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati |
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, 5101, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 20.00 CMD consisting of Primary (Collection tank, Neutralization tank) .
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
- 2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 90 CMD of sewage.
 - B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
 - 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	180.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	5% SO ₂
S-1	DG Set [800 KVA]	Acoustic encloser and stack	4.0 above roof	Diesel	13 Lit/Day	1.00 0.26
S-2	DG Set [800 KVA]	Acoustic encloser and stack	4.0 above roof	Diesel	20 Lit/Day	1.00 0.40

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.



- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

**SCHEDULE-III
Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000



Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C3E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C3E/C20/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.



7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).



22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.




(Ashok Shingare IAS),
Member Secretary



Global Eco Save Certificate



GLOBAL ECO SAVE SYSTEMS

An ISO 9001-2008 Certified Company
118, 1st FLOOR, SHRI BALAJI MARKET COMPLEX
JAWAHAR ROAD, AMRAVATI - 444 601
PHONE : (O) 2565493
E-MAIL : globaleco12@rediffmail.com
Web site : www.globaleco12.com



December 04th 2022

To whomsoever it may concern.


That **Dr. Panjabrao Deshmukh Memo. Medical College & Hospital** having their Hospital situated at **Panchwati ,Morshi Road ,Amravati** has registered themselves with Amravati Municipal Corporation for their acceptance to receive our services for collection, transportation, treatment and disposal of BMW. They are enjoying our services from **1st January 2021** .They has registered **450 (Four Hundred Fifty) Beds** with us for same purpose, up to **30th September 2022** . But from **1st October 2022** ,they has registered **830 (Eight Hundred Thirty) Beds** with us for same purpose. So, we are collecting Bio-Medical Waste from their Hospital, Since **1st January 2021** .

So, duly authorized their authorization.

REGISTRATION. NO. 8 & VALID UPTO 31st DECEMBER 2023

This certificate is based on your acceptance of following terms and conditions:-


Thanking you
Sincerely yours.


Kamlesh S. Bharani
For Global Eco Save Systems.

Terms and conditions:-

- 1] This membership certificate is issued on the request of concerning HCE
- 2] Segregation of waste is your legal responsibility so please give complete quantity of properly segregated BMW only in prescribed Bags to our authorized person.
- 3] Every member should pay their service charges every month regularly to our authorised representative and collect the proper receipt for the same.
- 4] The validity of this membership certificate will be automatically cancelled if the HCE fails to pay the service charges for two consecutive months.
- 5] In case the validity of the certificate ends due to non payment then concern HCE has to pay extra charges [which will be decided by GESS at that time by considering lapse period] for the fresh/ renewal of the same.
- 6] After receiving this certificate, immediately get authorised from Maharashtra Pollution Control Board. It is your legal responsibility.

Chairperson - Criteria No. ...
NAAC Steering Committee
Dr. P. D. M. M. C. Amravati


DEAN
Dr. Panjabrao Alies Bhausaheb Deshpande
Memorial Medical College, Amravati

Global eco save systems is an agency which is appointed by Amravati municipal corporation for collection and disposal of biomedical waste from institute

Liquid waste management

Liquid waste management

Work order of STP/ETP

Work order / Commissioning
7.1.20 / AMC

OFFICE OF THE SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI

No.SSES/Const./12/ 726 /2020

Dt. 26/ 02/ 2020

WORK ORDER

To,
Premier Construction
Corporation, Akola

Subject :- Construction of sump for E.T.P. at Dr.Panjabrao alies Bhausahab
Deshmukh Memorial Medical College,Amravati.

Reference :- 1) Quotation opening dt.14/2/2020..

With reference to the above the rates negotiated with you 10.00% below the rates mentioned in schedule "B" are accepted by this office under the terms and conditions of the said work.You have to pay security deposit 5.00% amount will be deducted from your R.A.bills and when be submitted by you.

The details of work are as below.

- 1. Name of Controctor :- Premier Construcrion Corporation,Akola
- 2. Amount of Schedul B- Rs.4,48,700/- (including 18% G.S.T.)
- 3. Accepted rate 10.00% below Schedul rates
- 4. Amount of Work order Rs.4,03,830/- (including G.S.T.)
- 5. Time Limit 60 days (from dt.of work order)

G.S.T. will be paid as per the government norms.

The work will be executed under the guidelines of central building committee of this office & standard specification.You are requested to contact the building construction department of this office and start the work. Site visit book for this work should be kept & maintained during execution at site work.

PWD

Chairperson - Criteria No. -
NAAC Steering Committee
Dr. P. D. M. C. Amravati

Secretary,
Shri Shivaji Education Society,
Amravati

Dr. Panjabrao Alies Bhausahab Deshmukh
Memorial Medical College, Amravati

Copy submitted for information

- 1) The Hon'ble President, Shri Shivaji Education Society, Amravati.
- 2) The Hon'ble Treasurer, Shri Shivaji Education Society, Amravati.
- 3) The Dean, Dr.Panjabrao alies Bhausahab Deshmukh Memorial Medcial College, Amravati.

Copy submitted for further action :-

- 1)Sau. V.N. Whankhade, Dy. Engineer, Shri Shivaji Education Society, Amravati.
- 2)Shri Pradip Mahore,Engineer, P.D.M.M.C., Amravati

Dr. Panjabrao Alies Bhausahab Deshmukh Memorial Medical College, AMRAVATI.
award No. 2503/20
date 22/02/20



SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI'S
(Registered Public Charitable Trust No. F/69)

**Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College**

Shivaji Nagar, Amravati - 444 603

(An ISO 9001 : 2000 Certified Institution)

Dr. D. S. Jane
M. D. (Patho.)
DEAN

Adv. Arun B. Shelke
PRESIDENT

• Office : Tel. (0721) 2552353 • Fax.: (0721) 2552353
• E-mail : drpdmmc2007@rediffmail.com • Website : www.pdmmc.com

No. PDMMC / 1651 / 2016

Date 01 / 04 / 2016

To,
M/s. Krishna Gangaa Enviro System Pvt. Ltd.,
LGF-3, Shree Ganesh Height, Opp.
Arun Automobiles,
Khamla Square, Ring Road,
Nagpur-15
Ph. No. 0712-2248300 (O), 9422106527
E-mail : kgcon_nagpur@yahoo.com, info@kegespltd.com

Subject : - Regarding the Work Order for 300 KLD E.T.P./ S.T.P. Plant.

Reference : - 1) Your Quotation dated 13/10/15.
2) Your Negotiation Letter dated 16/12/15.

Sir,

With reference to above subject, we are pleased to place the Work Order for
300 KLD E.T.P./ S.T.P. Plant For Hospital.

Sr. No	Particular	Total Price
1	<u>300 KLD E.T.P./ S.T.P. Plant</u> <u>Option 1</u> <u>4.0 Cost Break-Up</u> 1. Supply, erection & Commissioning of items 1 to 18 listed in Table. (Detail information as per Quotation)	Rs. 49,61,250-00 (Excluding 10.8% Tax)

Dean
Dr. P. D. M.M. Collage,
Amravati

Terms & Conditions:-

1. All Consumables for commissioning including the see/culture for ASP chemicals to be provided by client.
2. Testing Charges, manpower and consumables during plant commissioning to be provided by client.
3. Payment Terms : 10% advance Total Rs.5,49,707/-, along with LOI, 25% advance within 3 weeks of LOI for placing orders for material, 30% against Progress of civil works at site, 30% against proforma Invoice before dispatch of material & 05% On commissioning within one week.
4. All civil works, including Cable trenching and support work along with area development, walkways, access ladders etc in scope of client.
5. All warrantee of material would be 12 Months form the date of supply for manufacturing defects only.
6. **Disputes Redressal** : The agreement/work order/supply order would be subject all terms and conditions of Arbitration Act with Arbitrator being appointed as per mutual consent of both the parties. Further all legal matter would be subject to Jurisdiction of Nagpur Court.
7. **No Flow Condition** : If two Months after erection, there is no inflow into the plant, client to take dry testing of equipment and release the final payment.
8. **Escalation** : If the supply is delayed more than 4 Months from order, escalation as per RBI index would be applicable.
9. **Force Majeure Conditions** : Should the deliver be delayed or prevented due to acts of god, fire earthquake, civil commotion, government ordinance, import/export regulation, Strikes, lockout, trade disputes and difficulties in obtaining material, power shortage, accidents or any other causes which are beyond the control of supplier, Suitable extension in delivery date shall be granted by the supplier.

Copy Submitted to :-
Dean, Dr. P. D. M.M. Collage, Amravati

Chairperson - Criteria No. _
NAAC Steering Committee
Dr. P. D. M. M. C. Amravati

DEAN
Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College, Amravati

Work order of STP/ETP

Liquid waste management Completion certificate of STP/ETP



SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI'S
(Registered Public Charitable Trust No. F/89)

Dr. Panjabrao Alias Bhausahab Deshmukh
Memorial Medical College

Shivaji Nagar, Amravati - 444 603
(An ISO 9001 : 2000 Certified Institution)

D. S. Jane
M. D. (Patho.)
DEAN

Adv. Arun B. Shelke
PRESIDENT

• Office : Tel. (0721) 2552353 • Fax.: (0721) 2661742
• E-mail : drpdmmc2007@rediffmail.com • Website : www.pdmmc.com

PDMMC / 1085 / 2017

Date 28/02/2017

COMPLETION CERTIFICATE

NAME OF WORK : SEWAGE TREATMENT / WASTE WATER RECYCLE
PLANT CAPACITY 300 m³/d BASED ON
MOVING MEDIA BIOREACTOR (MMBR / FBR/MBBR)
TECHNOLOGY @ Dr. PDMMC AMRAVATI.

NAME OF AGENCY : KRISHNA GANGAA ENVIRO SYSTEM PVT LTD
LGF-03, SHRI GANESH HEIGHTS, OPP. ARUN AUTOMOBILES,
KHAMLA SQUARE, RING ROAD, NAGPUR - 440015

AGREEMENT NO. & DATE : PDMMC/1651/2016. DATED 01.04.2016

DATE OF COMMENCEMENT : 11.04.2016

DATE OF COMPLETION : 30.12.2016

CERTIFIED THAT THE AGENCY HAS SUCCESSFULLY COMPLETED THE EXECUTION OF THE ABOVE WORK AS PER TERMS OF AGREEMENT FOR VALUE OF RS. 55, 06,989 = 00 (FIFTY FIVE LAKH SIX THOUSAND NINE HUNDRED EIGHTY NINE ONLY). THE PLANT IS BASED ON MOVING MEDIA BIOREACTOR TECHNOLOGY AND IS WORKING SATISFACTORILY AS PER OUR EXPECTATIONS AND DESIGN OF THE PLANT. THE CERTIFICATE IS ISSUED ON REQUEST OF THE AGENCY.

Place: Amravati

Date :

28/02/2017
Received
Yogesh Thakare
o/c
9637700629

Dr. S. Jane
Dean

Dr. Panjabrao Alias Bhausahab
Deshmukh Memorial Medical College,
Amravati

Chairperson - Criteria No. -
NAAC Steering Committee

Completion certificate of STP/ETP

E waste MOU

End of life electronic equipment are collected at Repair and Maintenance Section from where they are handed over to Shri Shivaji Science College, Department of Environmental Science, Amravati for further disposal according to guideline.

MOU for Ewaste Management



MOU for Ewaste Management

This Memorandum of Understanding (MOU) sets for the term and understanding between Shri Shivaji Science College Amravati, Department of Environmental Science and Dr. Panjabrao Deshmukh Memorial Medical College, Amravati, Maharashtra, India to work in co-ordination on certain mentioned actives for betterment of environment and as an Institutional Social Responsibility.

A. PREAMBLE:

SHRI SHIVAJI SCIENCE COLLEGE AMRAVATI evolved under Shri Shivaji Education Society as a premier institute for imparting formal education in science stream and affiliated to Sant Gadge Baba Amravati University, Amravati, Maharashtra, India. The college has been re-accredited with "A+" Grade with C.G.P.A. of 3.42 in 2022 by NAAC, Bangalore. The University Grand Commission (UGC) HAS AWARDED THE STATUS OF THE College with Potential for Excellence (CPE) in the second phase. The college has also been identified by Department of Science and Technology for grants under FIST. Sant Gadge Baba Amravati University has also identified this college as "Lead College". College included in NIRF Ranking TWICE (2022 and 2023) Rank Band 151 - 200. The department of Environmental Science was established in 1999. The department conducted extension programmes such as Noise Pollution Monitoring, PUC Camp, promotion of Environmental Awareness, Microbiological Testing of Water Samples, Study of Heavy Metals in Ground Water. Department also having MoU with Maharashtra Pollution Control Board, Amravati Municipal Corporation, Suritex Private Limited, Nagpur etc. The Central Instrumentation Centre (C.I.C.) of the college has the facilities to carry out various analytical and spectroscopic measurements, chromatography and sample characterization by visual and photographic analysis.

AND

SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI'S DR. PANJABRAO ALIAS BHAUSAHEB DESHMUKH MEMORIAL MEDICAL COLLEGE, AMRAVATI was established in 1984 while the Hospital & Research Centre was established in 1990. The college is recognized by National Medical Commission of India and is affiliated to Maharashtra University of Health Sciences, Nashik.

MOU for Ewaste Management

B. OBJECTIVE:

The objectives of this Memorandum of Understanding:

- To promote interaction between Shri Shivaji Science College, Amravati and Dr. Panjabrao alias Bhausaheb Deshmukh Memorial Medical College, Amravati in mutually beneficial areas to benefit the institute and students.
- To help about recycle/dispose all types of electrical and electronic waste generated in premises of Dr. Panjabrao alias Bhausaheb Deshmukh Memorial Medical College, Amravati
- Sharing knowledge and capability in the concern area for mutual benefits and become trusted partners in the area of knowledge enrichment.
- To conceptualize the project to be executed in collaboration on need basis.
- To share information and technology to develop the required skills and intend to create a centre of excellence to support this collaborative effort.
- Provide guidance for the management of solid waste in the premises of Dr. Panjabrao alias Bhausaheb Deshmukh Memorial Medical College, Amravati other than biomedical waste.

C. PROPOSED MODES OF COLLABORATION:

Shri Shivaji Science college, Amravati and Dr. Panjabrao alias Bhausaheb Deshmukh Memorial Medical College, Amravati propose to collaborate through

- Conducting Continuing Education programs, Capability development of the students, Workshops, Conclave, Seminars, Events, Expert Talks etc.
- Provide guidance and support to PG student for completion of their project work.
- Provide facility for the management of e-waste.
- Students of Shri Shivaji Science College Amravati can participate in Health Awareness camps organised in Dr. Panjabrao alias Bhausaheb Deshmukh Memorial Medical College, Amravati.

D. FINANCIAL TERMS:

- The collaboration program between Environmental science Department of Shri Shivaji science college, Amravati and Dr. Panjabrao alias Bhausaheb Deshmukh Memorial

MOU for Ewaste Management

Medical College, Amravati shall be coordinated by a coordinating committee appointed by both the organizations.

- This MOU does not base on any economical commitment from both parties.

E. VALIDITY TERMS:

- This MoU shall be valid for a period of 05 years (Five) from date of signing with time-to-time evaluation by decision making authorities or advisory committee' if needed. This MOU can be extended after a period of 5 years (Five) with mutual understanding.

F. TERMINATION:

Following conditions are specified to terminate the MOU.

- Breach of trust from either side
- Insisting to develop any technological impossible project
- Non-committal attitude from either side
- Any other issue with mutual consent.
- Activities of MOU should not affect in any way teaching learning process.
- Any dispute arises between the parties shall be tried to settle between the parties with mutual discussion. This MOU is subject to jurisdiction of Courts at Amravati.

G. AMENDMENT:

No amendment to this MOU shall be valid and binding to the parties unless it is made in writing and signed by authorized representative of all parties to this MOU.

MOU for Ewaste Management

H. SIGNATURE AUTHORITIES:


Dr. G. V. Norpe
Principal
Shri Shivaji Science College,
Amravati



Dr. A. T. Deshmukh
Dean
Dr. P. D. M. M. C. Amravati
DEAN
Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College, Amravati






Dr. S. H. Ingole
Head of Department
Dept of Environmental Science
Shri Shivaji Science College, Amravati
Amravati.




Mr. V. D. Bute
Asst. Prof.
Dept of Environmental Science
Shri Shivaji Science College, Amravati

Ewaste Collection Receipt by Agency

Form-6
[SEE E WASTE (MANAGEMENT) RULES, 2016]- RULE 19]
E WASTE MANIFEST

1	Sender's name and mailing address (Including Phone No.)	Dr. Panjabrao Alias Bhausaheb Deshmukh Memmorial Medical College, Amravati.
2	Sender's Authorization No. , if applicable.	
3	Manifest Document No.	PMMC/ E WASTE / 23-24/01
4	Transporter's Name & Address (Including Phone No.)	
5	Type of Vehicle	(Truck / Tanker / Special Vehicle)
6	Transporter's Registration No.	
7	Vehicle Registration No.	
8	Receiver's Name & Mailing Address (Including Phone No)	Suritex Private Ltd Works , B - 111 , MIDC , Butibori, Office: 5-6Zal Complex, Residency Road Sadar, Nagpur - 440001, Mobile No. :- 09049981347
9	Receiver's Authorization No. if applicable	MPCB/RO(HQ)/HSMD/Autho/2021/EW-28
10	Description of E-Waste (Item, Weight/ Numbers)	E Waste
11	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Dr. Panjabrao Alias Bhausaheb Deshmukh Memmorial Medical College, Amravati. Typed Name & Stamps:	 Signature Dr. Panjabrao Alias Bhausaheb Deshmukh Memmorial Medical College, Amravati Month Day Year 1 0 1 3 2 0 2 3
12	Transporter Acknowledgement of Receipt of E Waste Typed Name & Stamps:	 Signature Month Day Year 1 0 1 3 2 0 2 3
13	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler)certification of receipt of E-waste) Suritex Private Ltd Works , B - 111 , MIDC , Butibori, Office: 5-6Zal Complex, Residency Road Sadar, Nagpur - 440001, Mobile No. :- 09049981347 Typed Name & Stamps:	 Signature  Month Day Year 1 0 1 3 2 0 2 3

* As applicable

COPY 1 (YELLOW) TO BE RETAINED BY THE SENDER AFTER TAKING SIGNATURE ON IT FROM THE TRANSPORTER AND OTHER THREE COPIES WILL BE CARRIED BY TRANSPORTER.




COPY 2 (PINK) TO BE RETAINED BY THE RECEIVER AFTER SIGNATURE OF THE TRANSPORTER.

COPY 3 (ORANGE) TO BE RETAINED BY THE TRANSPORTER AFTER TAKING SIGNATURE OF THE RECEIVER.

COPY 4 (GREEN) TO BE RETURNED BY THE RECEIVER WITH HIS/HER SIGNATURE TO THE SENDER

Ewaste Collection Receipt by Agency

Form-6
[SEE E WASTE (MANAGEMENT) RULES, 2016]- RULE 19]
E WASTE MANIFEST

1	Sender's name and mailing address (Including Phone No.)	Dr. Panjabrao Alias Bhausaheb Deshmukh Memorial Medical College, Amravati.
2	Sender's Authorization No., if applicable.	
3	Manifest Document No.	PMMC/ E WASTE / 23-24/01
4	Transporter's Name & Address (Including Phone No.)	
5	Type of Vehicle	(Truck / Tanker / Special Vehicle)
6	Transporter's Registration No.	
7	Vehicle Registration No.	
8	Receiver's Name & Mailing Address (Including Phone No)	Suritex Private Ltd Works , B - 111 , MIDC , Butibori, Office: 5-6Zal Complex, Residency Road Sadar, Nagpur - 440001, Mobile No. :- 09049981347
9	Receiver's Authorization No. if applicable	MPCB/RO(HQ)/HSMD/Autho/2021/EW-28
10	Description of E-Waste (Item, Weight/ Numbers)	E Waste
11	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Dr. Panjabrao Alias Bhausaheb Deshmukh Memorial Medical College, Amravati. Typed Name & Stamps: _____ Signature  _____ Month Day Year 1 0 1 3 2 0 2 3	
12	Transporter Acknowledgement of Receipt of E Waste Typed Name & Stamps: _____ Signature  _____ Month Day Year 1 0 1 3 2 0 2 3	
13	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste) Suritex Private Ltd Works , B - 111 , MIDC , Butibori, Office: 5-6Zal Complex, Residency Road Sadar, Nagpur - 440001, Mobile No. :- 09049981347 Typed Name & Stamps: _____ Signature  _____ Month Day Year 1 0 1 3 2 0 2 3	

* As applicable

COPY 1 (YELLOW) TO BE RETAINED BY THE SENDER AFTER TAKING SIGNATURE ON IT FROM THE TRANSPORTER AND OTHER THREE COPIES WILL BE CARRIED BY TRANSPORTER.

COPY 2 (PINK) TO BE RETAINED BY THE RECEIVER AFTER SIGNATURE OF THE TRANSPORTER.

COPY 3 (ORANGE) TO BE RETAINED BY THE TRANSPORTER AFTER TAKING SIGNATURE OF THE RECEIVER.

COPY 4 (GREEN) TO BE RETURNED BY THE RECEIVER WITH HIS/HER SIGNATURE TO THE SENDER

Maharashtra Pollution Control Board Authorisation Letter to Collection Agency

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: rohq@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

AUTHORISATION FOR STORAGE, DISMANTLING & RECYCLING OF E-WASTE BY Collection, Segregation, Dismantling and Recycling of E-Waste

Ref : Your Application No. MPCB-
 E_WASTE_AUTH_NEW-000000306 Dated: 01/09/2021



Your Service is Our Duty

Date:

28/12/2021

1. **Authorisation no:** 21/2000004
 MPCB/RO(HQ)/HSMD/Autho/2021/EW-28
2. **M/s. Surtex Pvt.Ltd.** is hereby granted an authorisation for **Collection, Segregation, Dismantling and Recycling of E-Waste** on the premises situated at Plot No. B-111, MIDC Industrial Area, Butibori, Dist: Nagpur for following.

Sr.No.	Nature of E-Waste	Electrical & Electronics Equipment code	UOM
1	Collection, Segregation, Dismantling and Recycling of E-Waste [As per schedule -I of E-Waste (M) Rules 2016]	ITEW - 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 & CEEW - 1,2,3,4,5	360 MT/A

3. Authorisation is valid for a period valid up to **28-02-2026**
4. The authorisation is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Terms and conditions of authorisation

- 1 The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made thereunder.
- 2 The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Maharashtra Pollution Control Board.
- 3 Any unauthorised change in personnel, equipment as working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- 4 It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Board to close down the operations.
- 5 An application for renewal of an authorisation shall be made in form no. 4 before one twenty days of expiry of existing authorisation as per the procedure laid in sub-rule (3) of rule 13.
- 6 The authorisation shall cease to be valid in case of expiry of the validity or suspension of any of the existing consents under Water (Prevention & Control of pollution) Act, 1981 & Authorization under the E-Waste (Management) Rules, 2016, Issued by Maharashtra Pollution Control Board (MPCB)/and shall remain invalid till consent (S)/authorization are obtained.
- 7 The Recycler or Dismantler of the E-Waste shall submit copies of valid Consents & Authorization also to the auctioneers/ sellers at the time of each procurement.

Maharashtra Pollution Control Board Authorisation Letter to Collection Agency

- 8 The Recycler or Dismantler of the E-Waste shall be responsible to ensure that quantity of the E-Waste (S) procured each time is endorsed in this Pass-Book by authorized seller /auctioneer/ collection centre / bulk consumer/ producer of the E-Waste.
- 9 The authorised recycler /dismantler of the E-Waste shall follow guidelines for implementation of the E-Waste (M) Rules, 2016 published by the Central Pollution Control Board from time to time.
- 10 The recycler / dismantler shall not rent/lend/transfer this registration certificate.
- 11 Any change in the dismantling/recycling technology, disposal facility & equipment as given in the application only to be carried out with prior permission of MPCB.
- 12 The unit should carry out stack emission & ambient quality (AAQ) monitoring as per SPM, RSPM, SO₂, NO_x & monitoring reports should be submitted by the unit to the MPCB, as per consent conditions.
- 13 At the time of submission of the application for renewal of authorisation, the unit should submit a copy of the "Authorisation and passbook" along with details of the quantity of E-Waste recycled / E-Waste dismantled / mode of disposal of Hazardous waste generated during validity period of authorisation & statement showing point wise compliance status of above conditions.
- 14 The transportation of E-Waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (3 copies) prepared by the sender, giving the details as per form no. 6 under the provisions of rule 19 of the E-Waste (M) Rules 2016.
- 15 The Maharashtra Pollution Control Board may cancel or suspend a registration granted under the E-Waste (M) Rules, 2016, if it has reasons to believe that authorised recycler / dismantler has failed to comply with any of the conditions of authorisation, or with any provisions for E-Waste (M) Rules, 2016 or rules made there under or conditions specified in the authorisation.
- 16 Responsibilities of the Dismantler: -
 - a) Every dismantler shall obtain authorization from the Maharashtra Pollution Control Board in accordance with the procedure under sub-rule 3 of rule 13 of the E-Waste Rules, 2016.
 - b) Every dismantler shall ensure that no damage is caused to the environment during storage & transportation of E-waste.
 - c) Every dismantler shall ensure that dismantling processes do not have adverse effect on the health & the environment.
 - d) Every dismantler shall ensure that the facility & dismantling processes are in accordance with the standards or guidelines published by the Central Pollution Control Board from time to time.
 - e) Ensure that dismantled e-waste are segregated & sent to the registered recycling facilities for recovery of materials.
 - f) Ensure that non-recyclable / non-recoverable components are sent to authorized treatment storage & disposal facilities.
 - g) Maintain record of E-Waste collected, dismantled and sent to authorised recycler in Form - 2 and make such records available for scrutiny by Central Pollution Control Board or Maharashtra Pollution Control Board.
 - h) File annual return in Form 3, to Maharashtra Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
 - i) Shall not process any e-waste for recovery or refining of materials, unless he is registered with Maharashtra Pollution Control Board as a recycler for refining and recovery of materials.


Maharashtra Pollution Control Board Authorisation Letter to Collection Agency

- 17 Responsibilities of the Recycler: -
- a) Every recycler shall obtain authorization from the Maharashtra Pollution Control Board in accordance with the procedure under sub-rule 3 of rule 13 of the E-Waste Rules, 2016.
 - b) Every recycler shall ensure that no damage is caused to the environment during storage & transportation of E-waste.
 - c) Every recycler shall ensure that dismantling processes do not have adverse effect on the health & the environment.
 - d) Every recycler shall ensure that the facility & dismantling processes are in accordance with the standards or guidelines published by the Central Pollution Control Board from time to time.
 - e) Ensure that non-recyclable / non-recoverable components are sent to authorized treatment storage & disposal facilities.
 - f) Maintain record of E-Waste collected, dismantled, recycled in Form - 2 and make such records available for scrutiny by Central Pollution Control Board or Maharashtra Pollution Control Board.
 - g) File annual return in Form 3, to Maharashtra Pollution Control Board in or before the 30th day of June following the financial year to which that return relates.
 - h) Not process any e-waste for recovery or-refining of materials, unless he is registered with Maharashtra Pollution Control Board as a recycler for refining and recovery of materials.
- 18 This Authorisation is issued as per the recommendation of committee constituted by the Board in the meeting held on 02-12-2021 and with the approval of competent authority.
- 19 The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made thereunder.
- 20 The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Maharashtra Pollution Control Board.
- 21 Any unauthorised change in personnel, equipment as working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- 22 It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Board to close down the operations.
- 23 An application for renewal of an authorisation shall be made in form no. 4 before one twenty days of expiry of existing authorisation as per the procedure laid in sub-rule (3) of rule 13.
- 24 The authorisation shall cease to be valid in case of expiry of the validity or suspension of any of the existing consents under Water (Prevention & Control of pollution) Act, 1981 & Authorization under the E-Waste (Management) Rules, 2016, issued by Maharashtra Pollution Control Board (MPCB)/and shall remain invalid till consent (S)/authorization are obtained.
- 25 The Recycler or Dismantler of the E-Waste shall submit copies of valid Consents & Authorization also to the auctioneers/ sellers at the time of each procurement.
- 26 The Recycler or Dismantler of the E-Waste shall be responsible to ensure that quantity of the E-Waste (S) procured each time is endorsed in this Pass-Book by authorized seller /auctioneer/ collection centre / bulk consumer/ producer of the E-Waste.
- 27 The authorised recycler /dismantler of the E-Waste shall follow guidelines for implementation of the E-Waste (M) Rules, 2016 published by the Central Pollution Control Board from time to time.
- 28 The recycler / dismantler shall not rent/lend/transfer this registration certificate.
- 29 Any change in the dismantling/recycling technology, disposal facility & equipment as given in the application only to be carried out with prior permission of MPCB.

Maharashtra Pollution Control Board Authorisation Letter to Collection Agency

- 30 The unit should carry out stack emission & ambient quality (AAQ) monitoring of for SPM, RSPM, SO₂, NO_x & monitoring reports should be submitted by the unit to the MPCB, as per consent conditions.
- 31 At the time of submission of the application for renewal of authorisation, the unit should submit a copy of the "Authorisation and passbook" along with details of the quantity of E-Waste recycled / E-Waste dismantled / mode of disposal of Hazardous waste generated during validity period or authorisation & statement showing point wise compliance status of above conditions.
- 32 The transportation of E-Waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (3 copies) prepared by the sender, giving the details as per form no. 6 under the provisions of rule 19 of the E-Waste (M) Rules 2016.
- 33 The Maharashtra Pollution Control Board may cancel or suspend a registration granted the E-Waste (M) Rules, 2016, if it has reasons to believe that authorised recycler / dismantler has failed to comply with any of the conditions of authorisation, or with any provisions for E-Waste(M) Rules, 2016 or rules made there under or conditions specified in the authorisation.

For and on behalf of the
Maharashtra Pollution Control Board.


(Nandkumar Gurav)
Regional Officer (HQ, HSMD)

To,
M/s. Suritex Pvt.Ltd.,

Copy to:

1. The Regional Officer , Maharashtra Pollution Control Board
2. The Sub Regional Officer , Maharashtra Pollution Control Board

Passbook for purchase of E-Waste



Unique No. 948

Pass Book for Maintaining Records of Purchase of E-Waste under the E-waste (Management) Rules, 2016

Name and Address of the Industry : M/s. Sunitex Pvt Ltd.
Plot No. B-III, MIDC Industrial
Area, Butibori,
District - Nagpur

Telephone/Fax No. : 9049981347

E-mail Address : info@sunitex.co.in

Authorisation No. : MPCB/RO(HQ)/HAMP/Auth/21/EW-28

Authorisation issued for : Recycling / dismantling of the E-Waste

Date of Issue : 28/12/2021

Validity Period : 28/02/2026

Quantity of the E-Waste(s) procurement is permitted for Recycling / Dismantling of the E-Waste.

S. No.	Type of E-Waste	Quantity (Tons Per Annum)
1	Collection, Segregation, Dismantling and Recycling of E-Waste	360 MT/A [Three Hundred & Sixty]

All the conditions prescribed in the authorisation shall be complied all the time.

Date : 28/12/2021

Place : Mumbai

Authorised Signatory &
Seal

N. N. GURAV

Regional Officer (HQ) & Incharge
HSM Division

Maharashtra Pollution Control Board
3rd Floor, Kalpataru Point, Opp. Cine Planet
Slon (E), Mumbai

Waste recycling policy

Waste paper generated after different uses in the institute is collected and sold to selected vendor who further supply it to paper mills which helps in recycling of waste paper.

SOP of disposal of waste paper



•Office Tel: 0721-2552353 •Fax: 0721-2552353 •Website: www.pdmmc.edu.in •E-mail: drpsdmc2007@rediffmail.com

PDMMC / 475 / 2023

Date - 11/04/23


SOP of Waste Paper


Purpose : To recycle the entire waste paper of Dr.PDMC Medical college and hospital .

Responsibility : It is the combine responsibility of each and every department of the institution.

Standard Operating Procedure :

01. The entire waste paper of the college and the hospital is collected .
02. The Waste paper is sold o local vendors who sands the entire waste paper to NEEL PAPER AND BOARD, JALAGAO for recycling .
03. The amount collected from the above sale is deposited in the Shri Shivaji Education Society, Shivaji Nagar, Amravati.


Chairperson - Criteria No VII
NAAC Steering Committee
Dr. P. D. M. M. C. Amravati


DEAN
Dr Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College, Amravati

Dept. of Medicine
Dr P.D.M.M.C. Amr.
Inward No 359/023
Date 11/04/23
Dean

Waste recycling policy

Vendor certificate

NEEL PAPER & BOARD

Manufactures & traders in craft & Duplex paper board

TO WHOM SO EVER IT MAY CONSERN

WE ARE MANUFACTURER OF KRAFT PAPER WHICH ARE USED FOR PACKAGING PURPOSE. WASTE PAPER WHICH WE PURCHASE FROM S.K TRADERS ITWARA BAZAR AMRAVATI, WE MAKE PULP OF IT, AS OURS IS A RECYCLABLE PLANT.

REGARDS

NEEL PAPER & BOARD
NIRMAL INDUSTRIES,
G 11. M.I.D.C, NEAR LOKMAT,
JALGAON - 425003
EMAIL ID: neelpaper@gmail.com

FOR NEEL PAPER & BOARD

DIRECROR

SX Nafiz
S.K. TRADERS
Proprietor

Certificate from paper mill/ vendor who
recycle the waste paper

Hazardous Waste policy

Hazardous waste disposal SOP



•OfficeTel: 0721-2552353 •Fax: 0721-2552353 •Website: www.pdmnc.edu.in •E-mail: drpdmnc2007@rediffmail.com

PDMNC/748/2023

Date - 21/06/23


Standard Operating System Hazardous Chemical Waste


Scope : To keep entire hospital and college campus free from hazardous chemical waste and to prevent environment from pollution .

Responsibility : The above task is the combine responsibility of the concerned HOD and the staff of the department .

Standard Operating Procedure :

1. hazardous chemical waste is deposited in secure landfills
2. The landfill should be 10 feet above underground water table .
3. The landfill is properly filled with rocks and covered with soil.
4. The landfill should be in barren land.
5. It should be away from running water, river and wells .


Chairperson - Criteria No. VII
NAAC Steering Committee
Dr. P. D. M. M. C. Amravati


DEAN
Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College, Amravati

Dept. of Medicine
Dr. P.D.M.M.C. Amr.
Inward No. 362/23
Date 21/06/23
Sign. _____